


# Product data sheet

Specifications



## Mounting Plate Vert. Fixed/Withd. MTZ2/NW 3P/4P W650 Prisma P

03500

 **Discontinued on:** Jan 11, 2022

 **Discontinued**

### Main

|                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                  |
|------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Range                              | Prisma                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Range Of Product                   | Prisma P                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
| Product Or Component Type          | Mounting plate                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                   |
| Accessory / Separate Part Category | Installation accessory                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                           |
| Range Compatibility                | Prisma Prisma P cubicle                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                          |
| Installation Description           | Cubicle - width 650 mm depth 600 mm<br>Cubicle - width 650 mm depth 1000 mm                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |
| Installed Device                   | Masterpact: drawout NW08...16 - control: toggle - vertical installation<br>Masterpact: fixed NW08...16 - control: toggle - vertical installation<br>Masterpact: drawout NW20...25 - control: toggle - vertical installation<br>Masterpact: fixed NW20...25 - control: toggle - vertical installation<br>Masterpact: drawout NW32 - control: toggle - vertical installation<br>Masterpact: fixed NW32 - control: toggle - vertical installation                                                                                                                                                   |
| Poles Description                  | 1 x 3P: drawout NW08...16 vertical installation<br>1 x 3P: fixed NW08...16 vertical installation<br>1 x 4P: drawout NW08...16 vertical installation<br>1 x 4P: fixed NW08...16 vertical installation<br>1 x 3P: drawout NW20...25 vertical installation<br>1 x 3P: fixed NW20...25 vertical installation<br>1 x 4P: drawout NW20...25 vertical installation<br>1 x 4P: fixed NW20...25 vertical installation<br>1 x 3P: drawout NW32 vertical installation<br>1 x 3P: fixed NW32 vertical installation<br>1 x 4P: drawout NW32 vertical installation<br>1 x 4P: fixed NW32 vertical installation |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                                    |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Number Of Vertical Modules [50 Mm] | 36 module(s): NW08...16, front connection on adaptor in 650 mm Widecubicle<br>27 module(s): NW08...16, front connection on Canalis in 650 mm Widecubicle<br>15 module(s): NW08...16, rear connection on adaptor in 650 mm Widecubicle<br>19 module(s): NW08...16, front connection on adaptor in 650 mm Widecubicle<br>17 module(s): NW08...16, rear connection on Canalis in 650 mm Widecubicle<br>36 module(s): NW08...16, front connection on busbar in 650 mm Widecubicle<br>18 module(s): NW08...16, front connection on adaptor in 650 mm Widecubicle<br>14 module(s): NW08...16, rear connection on adaptor in 650 mm Widecubicle<br>16 module(s): NW08...16, rear connection on Canalis in 650 mm Widecubicle<br>36 module(s): NW20...25, front connection on adaptor in 650 mm Widecubicle<br>15 module(s): NW20...25, rear connection on adaptor in 650 mm Widecubicle<br>20 module(s): NW20...25, front connection on adaptor in 650 mm Widecubicle<br>28 module(s): NW20...25, front connection on Canalis in 650 mm Widecubicle<br>17 module(s): NW20...25, rear connection on Canalis in 650 mm Widecubicle<br>36 module(s): NW20...25, front connection on busbar in 650 mm Widecubicle<br>19 module(s): NW20...25, front connection on adaptor in 650 mm Widecubicle<br>14 module(s): NW20...25, rear connection on adaptor in 650 mm Widecubicle<br>16 module(s): NW20...25, rear connection on Canalis in 650 mm Widecubicle<br>36 module(s): NW32, front connection on adaptor in 650 mm Widecubicle<br>15 module(s): NW32, rear connection on adaptor in 650 mm Widecubicle<br>20 module(s): NW32, front connection on adaptor in 650 mm Widecubicle<br>28 module(s): NW32, front connection on Canalis in 650 mm Widecubicle<br>17 module(s): NW32, rear connection on Canalis in 650 mm Widecubicle<br>36 module(s): NW32, front connection on busbar in 650 mm Widecubicle<br>19 module(s): NW32, front connection on adaptor in 650 mm Widecubicle<br>14 module(s): NW32, rear connection on adaptor in 650 mm Widecubicle<br>16 module(s): NW32, rear connection on Canalis in 650 mm Widecubicle |
| Standards                          | IEC 61439-2                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                |
| Product Certifications             | ASEFA                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                      |

## Complementary

|            |                  |
|------------|------------------|
| Colour     | White (RAL 9001) |
| Width      | 650 mm           |
| Height     | 30 mm            |
| Net Weight | 3.82 kg          |



650 mm 1000 mm Prisma P cubicle Masterpact NW20...25 fixed toggle vertical 4P 1 rear connection on adaptor 14 437.5 mm  
650 mm 600 mm Prisma P cubicle Masterpact NW20...25 fixed toggle vertical 4P 1 front connection on Canalis 28 1137.5 mm  
650 mm 1000 mm Prisma P cubicle Masterpact NW20...25 fixed toggle vertical 4P 1 rear connection on Canalis 16 787.5 mm  
650 mm 600 mm Prisma P cubicle Masterpact NW20...25 fixed toggle vertical 4P 1 front connection on busbar 36 1037.5 mm  
650 mm 600 mm Prisma P cubicle Masterpact NW32 drawout toggle vertical 3P 1 front connection on adaptor 36 1087.5 mm  
650 mm 1000 mm Prisma P cubicle Masterpact NW32 drawout toggle vertical 3P 1 rear connection on adaptor 15 487.5 mm  
650 mm 600 mm Prisma P cubicle Masterpact NW32 drawout toggle vertical 3P 1 front connection on adaptor 20 737.5 mm  
650 mm 600 mm Prisma P cubicle Masterpact NW32 drawout toggle vertical 3P 1 front connection on Canalis 28 1137.5 mm  
650 mm 1000 mm Prisma P cubicle Masterpact NW32 drawout toggle vertical 3P 1 rear connection on Canalis 17 837.5 mm  
650 mm 600 mm Prisma P cubicle Masterpact NW32 drawout toggle vertical 3P 1 front connection on busbar 36 1087.5 mm  
650 mm 600 mm Prisma P cubicle Masterpact NW32 fixed toggle vertical 3P 1 front connection on adaptor 19 687.5 mm  
650 mm 1000 mm Prisma P cubicle Masterpact NW32 fixed toggle vertical 3P 1 rear connection on adaptor 14 437.5 mm  
650 mm 600 mm Prisma P cubicle Masterpact NW32 fixed toggle vertical 3P 1 front connection on Canalis 28 1137.5 mm  
650 mm 1000 mm Prisma P cubicle Masterpact NW32 fixed toggle vertical 3P 1 rear connection on Canalis 16 787.5 mm  
650 mm 600 mm Prisma P cubicle Masterpact NW32 fixed toggle vertical 3P 1 front connection on busbar 36 1037.5 mm  
650 mm 600 mm Prisma P cubicle Masterpact NW32 drawout toggle vertical 4P 1 front connection on adaptor 36 1087.5 mm  
650 mm 1000 mm Prisma P cubicle Masterpact NW32 drawout toggle vertical 4P 1 rear connection on adaptor 15 487.5 mm  
650 mm 600 mm Prisma P cubicle Masterpact NW32 drawout toggle vertical 4P 1 front connection on adaptor 20 737.5 mm  
650 mm 600 mm Prisma P cubicle Masterpact NW32 drawout toggle vertical 4P 1 front connection on Canalis 28 1137.5 mm  
650 mm 1000 mm Prisma P cubicle Masterpact NW32 drawout toggle vertical 4P 1 rear connection on Canalis 17 837.5 mm  
650 mm 600 mm Prisma P cubicle Masterpact NW32 drawout toggle vertical 4P 1 front connection on busbar 36 1087.5 mm  
650 mm 600 mm Prisma P cubicle Masterpact NW32 fixed toggle vertical 4P 1 front connection on adaptor 19 687.5 mm  
650 mm 1000 mm Prisma P cubicle Masterpact NW32 fixed toggle vertical 4P 1 rear connection on adaptor 14 437.5 mm  
650 mm 600 mm Prisma P cubicle Masterpact NW32 fixed toggle vertical 4P 1 front connection on Canalis 28 1137.5 mm  
650 mm 1000 mm Prisma P cubicle Masterpact NW32 fixed toggle vertical 4P 1 rear connection on Canalis 16 787.5 mm  
650 mm 600 mm Prisma P cubicle Masterpact NW32 fixed toggle vertical 4P 1 front connection on busbar 36 1037.5 mm

# Packing Units

|                              |     |
|------------------------------|-----|
| Unit Type Of Package 1       | PCE |
| Number Of Units In Package 1 | 1   |

## Sustainability

**Green Premium™** label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency   RoHS/REACH

## Well-being performance



Mercury Free



RoHS Exemption Information

Yes



Halogen Free Plastic Parts Product

## Certifications & Standards

**Eu RoHS Directive**

Pro-active compliance (Product out of EU RoHS legal scope)

[EU RoHS Declaration](#)

**China RoHS Regulation**

[China RoHS declaration](#)

Product out of China RoHS scope. Substance declaration for your information

**Environmental Disclosure**

[Product Environmental Profile](#)

**Circularity Profile**

[End of Life Information](#)