

Linergy DX 4P distribution block 63A - 4 modules - 24 holes quick connection top

04040

Discontinued on: Dec 31, 2021

① Discontinued

Main

Range	Linergy
Range Of Product	Prisma Plus System P Prisma Plus System G
Product Or Component Type	Distribution block
Product Name	Linergy DX
Range Compatibility	Prisma Prisma G Prisma Prisma P Prisma Prisma PH Prisma Pack 160 Prisma Prisma Pack 250
Product Compatibility	Spacial enclosures
Ip Degree Of Protection	IPxx B

Complementary

Location Of Connection	Тор
Mounting Support	DIN rail
Poles Description	4P
[Ue] Rated Operational Voltage	440 V AC
[Ui] Rated Insulation Voltage	500 V AC
[Uimp] Rated Impulse Withstand Voltage	6 kV
[le] Rated Operational Current	63 A at 40 °C
[In] Rated Current	63 A at 40 °C
Connections - Terminals	Supply: tunnel type terminal16 mm² (flexible) Supply: tunnel type terminal25 mm² (rigid) Distribution: spring terminal (phase) , 12 x 2.56 mm² (flexible) Distribution: spring terminal (phase) , 12 x 2.56 mm² (rigid) Distribution: spring terminal (neutral) , 12 x 2.56 mm² (flexible) Distribution: spring terminal (neutral) , 12 x 2.56 mm² (rigid)
9 Mm Pitches	8
Total Number Of 18 Mm Modules	4
Net Weight	0.29 kg

Environment

Pollution Degree	3
Resistance To Incandescent Wire	960 °C conforming to IEC 60695-2-11

Standards	IEC 60947-7-1	
	IEC 61439-2	
	IEC 61439-1	
Product Certifications	ASFFA	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	7.5 cm
Package 1 Width	7.5 cm
Package 1 Length	10 cm
Package 1 Weight	320 g

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Eu Rohs Directive	Compliant EU RoHS Declaration
Reach Regulation	REACh Declaration
Rohs Exemption Information	Yes
Mercury Free	
Toxic Heavy Metal Free	
Reach Free Of Svhc	