

LINERGY BW 4P INSULATED B.BAR 250A L1000

04122

! Discontinued on: Dec 15, 2021



Main

Range	Linergy
Range Of Product	Linergy
Product Or Component Type	Busbar
Product Name	Linergy BW
Range Compatibility	Prisma Prisma G enclosure Prisma Prisma P enclosure
Ip Degree Of Protection	ІРхх В
Busbar Description	Insulated bar
Quantity Per Set	Set of 1

Complementary

Poles Description	4P
Installation Description	Cubicle - width 650 mm Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm
[Ui] Rated Insulation Voltage	750 V
[Uimp] Rated Impulse Withstand Voltage	8 kV
[le] Rated Operational Current	250 A
[Icw] Rated Short-Time Withstand Current	13 kA (1 s)
[lpk] Rated Peak Withstand Current	30 kA
I ² T On Activation	169000 kA².s
Permissible Current	250 A
Length	1000 mm
Net Weight	4.68 kg
Type Of Busbar Connection	M6 threaded hole
Connection Pitch	Connection each 25 mm

Environment

Standards	IEC 61439-1 IEC 61439-2
Product Certifications	ASEFA
Mechanical Robustness	Seismic tests structure reinforcement - 2.5G conforming to IEC 60068-2-57

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Mercury Free

Rohs Exemption Information

Vac

⊘

Halogen Free Product

Certifications & Standards

Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins