

Product data sheet

Specifications



LINERGY BW 4P INSULATED B.BAR 400A L1001

04124

⚠ Discontinued on: Nov 29, 2021

⚠ Discontinued

Main

| | |
|---------------------------|--|
| Range | Linergy |
| Range Of Product | Linergy |
| Product Or Component Type | Busbar |
| Product Name | Linergy BW |
| Range Compatibility | Prisma Prisma G enclosure Prisma Prisma P enclosure |
| Ip Degree Of Protection | IPxx B |
| Busbar Description | Insulated bar |
| Quantity Per Set | Set of 1 |

Complementary

| | |
|--|--|
| Poles Description | 4P |
| Installation Direction | Vertical, operating position: rear |
| Installation Description | Cubicle - width 650 mm Floor-standing enclosure - width 600 mm Wall-mounted enclosure - width 600 mm |
| [Ui] Rated Insulation Voltage | 1000 V |
| [Uimp] Rated Impulse Withstand Voltage | 8 kV |
| [Ie] Rated Operational Current | 630 A |
| [Icw] Rated Short-Time Withstand Current | 25 kA (1 s) |
| [Ipk] Rated Peak Withstand Current | 52.5 kA |
| I²T On Activation | 625000 kA².s |
| Permissible Current | 630 A |
| Length | 1000 mm |
| Net Weight | 16.64 kg |
| Type Of Busbar Connection | M6 threaded hole |
| Connection Pitch | Connection each 25 mm |

Environment

| | |
|------------------------|----------------------------|
| Standards | IEC 61439-1 IEC 61439-2 |
| Product Certifications | ASEFA |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|-----------------------|---|
| Mechanical Robustness | Seismic tests - 2.5G conforming to IEC 60068-2-57 |
|-----------------------|---|

Packing Units

| | |
|------------------------------|-----|
| Unit Type Of Package 1 | PCE |
| Number Of Units In Package 1 | 1 |

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information [Yes](#)

Certifications & Standards

| | |
|--------------------------|---|
| Eu Rohs Directive | Compliant EU RoHS Declaration |
| China Rohs Regulation | China RoHS declaration Product out of China RoHS scope. Substance declaration for your information |
| Environmental Disclosure | Product Environmental Profile |
| Weee | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |