


# Product data sheet

Specifications



## PLAIN HORIZONTAL FLAT BAR LINERGY BS 120X10 L2000

04552

 **Discontinued on:** Apr 25, 2023

 **Discontinued**

### Main

Range	Linergy
Range Of Product	Linergy
Product Or Component Type	Copper busbar
Product Name	Linergy BS
Range Compatibility	Prisma Prisma P enclosure
Busbar Description	Flat bar
Quantity Per Set	Set of 1

### Complementary

Installation Direction	Vertical, operating position: lateral Horizontal, operating position: top Horizontal, operating position: bottom
Installation Description	Cubicle - width 650 mm Cubicle - width 650 + 150 mm Cubicle duct - width 300 mm Cubicle duct - width 400 mm
[Ie] Rated Operational Current	1880 A at 35 °C
[Icw] Rated Short-Time Withstand Current	60 kA (1 s) for 2 supports (horizontal position) 85 kA (1 s) for 3 supports (horizontal position) 40 kA (1 s) (horizontal position) 85 kA (1 s) for 2 supports (horizontal position) 50 kA (1 s) (horizontal position)
Permissible Current	1880 A at 35 °C: <= IP31 1670 A at 35 °C: > IP31
Busbar Cross Section	120 x 10 mm
Length	2000 mm
Height	200 mm
Net Weight	21.9 kg
Type Of Busbar Connection	Without hole
Support Thickness	10 mm

### Environment

Standards	IEC 61439-2 IEC 61439-1
Product Certifications	ASEFA

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.0 cm
Package 1 Width	18.0 cm
Package 1 Length	212.0 cm
Package 1 Weight	21.7 kg
Unit Type Of Package 2	PAL
Number Of Units In Package 2	18
Package 2 Height	21 cm
Package 2 Width	212 cm
Package 2 Length	120 cm
Package 2 Weight	394.2 kg

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency   RoHS/REACH

## Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   [Yes](#)

✓ Pvc Free

✓ Halogen Free Plastic Parts Product

## Certifications & Standards

Eu Rohs Directive

Compliant

[EU RoHS Declaration](#)

China Rohs Regulation

[China RoHS declaration](#)

Pro-active China RoHS declaration (out of China RoHS legal scope)

Environmental Disclosure

[Product Environmental Profile](#)

Circularity Profile

[End of Life Information](#)