

CANALIS COVER

04871

! Discontinued on: Apr 25, 2023

Main

Range	Prisma	
Range Of Product	Prisma P	
Product Or Component Type	Canalis cover	
Accessory / Separate Part Category	Interface accessory	
Range Compatibility	Prisma Prisma P framework	
Cubicle Partitioning Form	Form 1	

Complementary

Installation Description	Cubicle - width 650 mm
Number Of Vertical Modules [50 Mm]	9
Quantity Per Set	Set of 1
Material	Steel
Height	450 mm
Net Weight	6.9 kg
Protective Treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder
Colour	White (RAL 9001)

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.5 cm
Package 1 Width	61 cm
Package 1 Length	66.5 cm
Package 1 Weight	6.153 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	40
Package 2 Height	92 cm
Package 2 Width	80 cm
Package 2 Length	120 cm
Package 2 Weight	258.12 kg

Unit Type Of Package 3	PAL
Number Of Units In Package 3	8
Package 3 Height	80 cm
Package 3 Width	80 cm
Package 3 Length	120 cm
Package 3 Weight	55.2 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information