
Product data sheet

Specifications



W300 FR.BARRIER FOR LAT.V.BB.

04920

() Discontinued on: Apr 25, 2023

(!) Discontinued

Main

Range	Prisma	
Range Of Product	Prisma P	
Product Or Component Type	Barrier	
Accessory / Separate Part Category	Insulation accessory	
Range Compatibility	Prisma Prisma P framework	
Barrier Position	Rear Front	
Cubicle Partitioning Form	Form 2	

Complementary

Installation Description	Cubicle duct - width 300 mm	
Number Of Vertical Modules [50 Mm]	37	
Installed Device	Vertical lateral busbar	
Quantity Per Set	Set of 1	
Height	996 mm	
Net Weight	6.86 kg	
Surface Finish	Smooth Matt	
Protective Treatment	Electrophoresis treatment and hot-polymerised polyester epoxy powder	
Colour	White (RAL 9001)	

Packing Units

V	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.0 cm
Package 1 Width	23.5 cm
Package 1 Length	100.0 cm
Package 1 Weight	6.9 kg
Unit Type Of Package 2	P12
Number Of Units In Package 2	24
Package 2 Height	55.0 cm

Package 2 Width	80.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	172.6 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Fa

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

Mercury Free	
Rohs Exemption Information	Yes
Halogen Free Plastic Parts Product	

Certifications & Standards

Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information