

8MM MALE TRIAN.IP55HAND.INSERT

09938

! Discontinued on: Apr 25, 2023

! Discontinued

Main

Range	Prisma
Range Of Product	Prisma G
Product Or Component Type	Insert
Accessory / Separate Part Category	Locking accessory
Range Compatibility	Prisma Prisma G door

Complementary

Product Compatibility	IP55 enclosure
Mounting Support	Handle
Installation Description	Floor-standing enclosure Wall-mounted enclosure
Type Of Keylock	CNOMO
Lock Type	8 mm male triangle insert
Quantity Per Set	Set of 1
Net Weight	0.06 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.0 cm
Package 1 Width	8.0 cm
Package 1 Length	8.0 cm
Package 1 Weight	60.0 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	10
Package 2 Height	20.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	600.0 g
Unit Type Of Package 3	P12
Number Of Units In Package 3	80

Package 3 Height	30.0 cm
Package 3 Width	80.0 cm
Package 3 Length	120.0 cm
Package 3 Weight	4.8 ka

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes
⊘	Halogen Free Product	

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations