


Product data sheet

Specifications



Thorsman - TP 2 - wall plug - without screw - set of 20000

1003805

Main

Range Of Product	Thorsman
Product Or Component Type	Wall plug
Device Short Name	TP
Device Application	Lightweight installation
Drilling Diameter	5.5 mm concrete 5.5 mm brick 5 mm ALC concrete
Minimum Drilling Depth	40 mm
Screw Diameter	3.5...5 mm
Material	PEHD (polyethylene high density)

Complementary

Practical Load Capacity	Pull-out load: 0.04 kN for low density concrete 500 and expanded clay 6) Shear: 0.6 kN for concrete C25 4.5) Pull-out load: 0.4 kN for concrete C25 6) Shear: 0.5 kN for solid brick 4.5) Pull-out load: 0.3 kN for solid brick 6) Shear: 0.15 kN for low density concrete 500 and expanded clay 4.5)
Practical Load Capacity	Pull-out load: 4 kg for low density concrete 500 and expanded clay 6) Shear: 60 kg for concrete C25 4.5) Pull-out load: 40 kg for concrete C25 6) Shear: 50 kg for solid brick 4.5) Pull-out load: 30 kg for solid brick 6) Shear: 15 kg for low density concrete 500 and expanded clay 4.5)
Colour Tint	Red
Ambient Air Temperature For Operation	-50...80 °C
Diameter	5.5 mm
Length	35 mm

Environment

Quantity Per Set	Set of 20000
Sale Per Indivisible Quantity	1
Type Of Packing	Bag
Net Weight	0.0005 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Height	7.0 cm
Package 1 Width	7.0 cm
Package 1 Length	3.5 cm
Package 1 Weight	0.59 g
Unit Type Of Package 2	PAL
Number Of Units In Package 2	99999
Package 2 Height	102.0 cm
Package 2 Width	80.0 cm
Package 2 Length	120.0 cm
Package 2 Weight	162.336 kg

Contractual warranty

Warranty	18 months
----------	-----------

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations