

# Product data sheet

Specifications



## modular analog voltmeter iVLT - 0..300 V

16060

### Main

Range	Acti9
Device Short Name	iVLT
Product Or Component Type	Voltmeter
Range Compatibility	Prisma Prisma P door Prisma Prisma G door
Scale	0-300 V
Technology Type	Ferromagnetic
Scale Type	Pseudo-linear scale over 90°
Mounting Support	DIN rail

### Complementary

Type Of Measurement	Voltage
Accuracy Class	Class 1.5
Power Consumption In Va	2.5 VA
Power Consumption In Va	2.5 VA
Overload Withstand	1.2 Un, permanently 2 Un, 5 s
9 Mm Pitches	8
Width	70 mm
Height	83 mm
Depth	66 mm
Temperature Drift	+/- 0.03 %/°C
Connections - Terminals	Tunnel type terminalrigid 1.5...6 mm²

### Environment

Standards	IEC 61010-1 IEC 61000-4 IEC 60051-1
Ambient Air Temperature For Operation	-25...50 °C
Reference Temperature	23 °C

### Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Height	7.8 cm
Package 1 Width	7.7 cm
Package 1 Length	9.3 cm
Package 1 Weight	165.0 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	45
Package 2 Height	30 cm
Package 2 Width	30 cm
Package 2 Length	40 cm
Package 2 Weight	7.912 kg

## Contractual warranty

Warranty	18 months
----------	-----------

# Sustainability

**Green Premium™ label** is Schneider Electric’s commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product’s sustainability >](#)

## Well-being performance

 Reach Free Of Svhc	
 Mercury Free	
 Rohs Exemption Information	Yes
Reach Regulation	<a href="#">REACH Declaration</a>
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	<a href="#">China RoHS declaration</a>
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins