

Performa - vertical/suspended/floor bracket - pre-galvanized - 585 mm

4551350

! Discontinued on: Jan 3, 2022



Important message: This product belongs to Cable Support which is no longer commercialized by Schneider Electric. As per the first of January 2022 the commercialization is managed by Wibe-Group, Please follow the link www.wibe-group.com for further details.

Main

Range Of Product	Performa
Product Or Component Type	Vertical/suspended/floor bracket
Quantity Per Set	Set of 5

Complementary

Permanent Permissible Load	42 kg
Load Bearing Capacity	420 N
Product Destination	Mesh tray
Mounting Support	Wall Floor Threaded rod
Material	Sheet steel (pre-galvanized)
Height	38 mm
Width	585 mm
Depth	50 mm
Height Compatibility	105 mm 70 mm
Width Compatibility	500 mm
Surface Treatment Compatibility	Bi-chromated Electro-zinc
Market Segment	Small commercial

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4 cm
Package 1 Width	5 cm
Package 1 Length	58.3 cm
Package 1 Weight	675 g

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

✓ Reach Free Of Svhc
 ✓ Toxic Heavy Metal Free
 ✓ Mercury Free
 ✓ Rohs Exemption Information

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations