
Specifications



Thorsman - FED-K5630 - feeder trunking - natural - 2.5 m

5435100

Main

Range Of Product	Thorsman	
Product Name	Thorsman FED	
Product Or Component Type	Feeder trunking	
Cabling Installation System	Feeder trunking	
Colour Tint	Natural	
Quantity Per Set	20 m	

Complementary

Trunking Material	Aluminium	
Trunking Dimension	56 x 30 mm	
Compartment Partitioning	2 compartments	
Type Of Side Profile	C-profile	
Fixing Mode	Screw-fixed	
Material	Aluminium anodized	
Length	2500 mm	
Height	30 mm	
Width	56 mm	

Environment

Ambient Air Temperature For	-2060 °C
Operation	

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.100 cm
Package 1 Width	5.700 cm
Package 1 Length	250.000 cm
Package 1 Weight	2.150 kg
Unit Type Of Package 2	PAL
Number Of Units In Package 2	192
Package 2 Height	46.500 cm
Package 2 Width	120.000 cm

 Package 2 Length
 260.000 cm

 Package 2 Weight
 453.000 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eà

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations