Product data sheet

Specifications



(!) Discontinued

Wibe - pendant joint 2FJ - stainless steel AISI 316L

726485

() Discontinued on: Jan 3, 2022

Important message: This product belongs to Cable Support which is no longer commercialized by Schneider Electric. As per the first of January 2022 the commercialization is managed by Wibe-Group, Please follow the link www.wibe-group.com for further details.

Main

Range	Wibe
Product Or Component Type	Pendant joint
Range Compatibility	Wibe
Provided Equipment	4 x screw M8 x 16 + nuts

Complementary

Material With Surface Treatment	Stainless steel AISI 316L
Corrosion Class	C5-M
Height	200 mm
Width	55 mm
Depth	18 mm
Net Weight	46 kg / set of 100

Environment

Mounting Location Area with almost permanent high levels of humidity, airborne pollution and salt purifying plants and offshore

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.8 cm
Package 1 Width	5.6 cm
Package 1 Length	20 cm
Package 1 Weight	440 g

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eq

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations