Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Wibe - 90° bend W10/40-500 - steel pre-galvanized white

729137

! Discontinued on: Jan 3, 2022

! Discontinued

Main

Range	Wibe
Product Name	Wibe Cable Trays
Product Or Component Type	90° bend
Device Short Name	W10

Complementary

Operating Angle	90 °	
Direction Change Type	Horizontal	
Product Destination	Cable tray H= 40 mm W= 500 mm	
Mounting Mode	Push-in	
Fixing Mode	By locking plug By bolt	
Material With Surface Treatment	Steel, pre-galvanized white	
Corrosion Class	C2	
Height	40 mm	
Width	597 mm	
Depth	597 mm	
Net Weight	400 kg / set of 100	

Environment

Mounting Location	Partly outdoor environment with low exposure to corrosion ware-houses and parking
	garages

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4 cm
Package 1 Width	59.8 cm
Package 1 Length	59.8 cm
Package 1 Weight	4 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
Ø	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations