Specifications



① Discontinued

# Wibe - adjustable cantilever arm W1840-400 - steel hot-dip galvanized

734581

U Discontinued on: Jan 3, 2022

Important message: This product belongs to Cable Support which is no longer commercialized by Schneider Electric. As per the first of January 2022 the commercialization is managed by Wibe-Group, Please follow the link www.wibe-group.com for further details.

#### Main

Range	Wibe
Product Or Component Type	Cantilever arm

riedder er compenent type

## Complementary

· · · · · · · · · · · · · · · · · ·	
Accessory / Separate Part Category	Support accessory
Adjustment	Adjustable
Fixing Mode	By expansion bolt By T-bolt
Material With Surface Treatment	Steel, hot-dip galvanized
Corrosion Class	C3/C4
Height	185 mm
Width	60 mm
Depth	389439 mm
Net Weight	139 kg / set of 100
Net Weight	139 kg / set of 100

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	18.4 cm
Package 1 Width	9.6 cm
Package 1 Length	41.7 cm
Package 1 Weight	1.28 kg

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Transparency RoHS/REACh

#### Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Eq

Rohs Exemption Information Yes

## **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations