


Surround and Gridplate for 1M Sized Module, Horizontal, White

A8401SH_WE

! Discontinued on: Jun 30, 2023



Main

Range Of Product	ZENcelo	
Product Or Component Type	Cover frame with fixing frame	
Cover Frame Colour Tint	White	

Complementary

Wiring Device Mounting	Flush Surface	
Material	PC: surround Steel coated with zinc chromate: grid plate	
Embedding Depth	14.8 mm	
Width	70 mm	
Height	120 mm	

Environment

Ambient Air Temperature For Operation	-545 °C
Relative Humidity	095 %
Environmental Characteristic	UV resistant
Standards	GB 17466

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.48 cm
Package 1 Width	7 cm
Package 1 Length	12 cm
Package 1 Weight	74.6 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	15
Package 2 Height	11.8 cm
Package 2 Width	15.6 cm
Package 2 Length	20 cm
Package 2 Weight	1.244 kg

Unit Type Of Package 3	CAR
Number Of Units In Package 3	150
Package 3 Height	21 cm
Package 3 Width	33 cm
Package 3 Length	62.2 cm
Package 3 Weight	12940 g

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
②	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations