

# DIN socket iPC - 2P+E - 16A - 250VAC - IEC 2316 - italian std

A9A15303

## Main

Range Of Product	Acti9
Product Name	Acti9 iPC
Product Or Component Type	Modular socket-outlet
Device Short Name	iPC
Poles Description	2P + E
Outlet Standard	Italian

## Complementary

[In] Rated Current	16 A
[Ue] Rated Operational Voltage	250 V AC 50/60 Hz
Mounting Mode	Fixed
Mounting Support	Symmetrical DIN rail
9 Mm Pitches	5
Height	87 mm
Width	44 mm
Depth	60 mm
Net Weight	98 g
Colour	White
Connections - Terminals	Tunnel type terminal1 cable(s) 6 mm² flexible Tunnel type terminal1 cable(s) 10 mm² rigid
Wire Stripping Length	13 mm
Tightening Torque	1.2 N.m

## **Environment**

Standards	IEC 23-16
Ip Degree Of Protection	IP20 conforming to IEC 60529 IP40 (modular enclosure) conforming to IEC 60529
Ik Degree Of Protection	IK03
Tropicalisation	2 conforming to IEC 60068-1
Relative Humidity	95 % at 55 °C
Ambient Air Temperature For Operation	-2570 °C
Ambient Air Temperature For Storage	-4080 °C

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.7 cm
Package 1 Width	4.4 cm
Package 1 Length	8.5 cm
Package 1 Weight	93.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	5
Package 2 Height	8.7 cm
Package 2 Width	8.0 cm
Package 2 Length	22.7 cm
Package 2 Weight	507.0 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	50
Package 3 Height	30.0 cm
Package 3 Width	30.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	6.587 kg

## **Contractual warranty**

Warranty 18 months

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

## Well-being performance

<b>Ø</b>	Reach Free Of Svhc	
<b>②</b>	Toxic Heavy Metal Free	
<b>Ø</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information