

# Product data sheet

Specifications



## DIN socket, Acti9 iPC, 2P+E, 16A, 250VAC

A9A15310

### Main

Range Of Product	Acti9
Product Name	Acti9 iPC
Product Or Component Type	Modular socket-outlet
Device Short Name	iPC
Poles Description	2P + E

### Complementary

[In] Rated Current	16 A
[Ue] Rated Operational Voltage	250 V AC 50/60 Hz
Mounting Mode	Fixed
Mounting Support	Symmetrical DIN rail
9 Mm Pitches	5
Height	81 mm
Width	45 mm
Depth	55 mm
Net Weight	100 g
Colour	White
Connections - Terminals	Tunnel type terminal1 cable(s) 1...6 mm² flexible Tunnel type terminal1 cable(s) 1...10 mm² rigid
Wire Stripping Length	13 mm
Tightening Torque	1.2 N.m

### Environment

Standards	VDE 0620 UNE 20315-1-1
Quality Labels	EAC KEMA VDE
Ip Degree Of Protection	IP20 conforming to IEC 60529 IP40 (modular enclosure) conforming to IEC 60529
Ik Degree Of Protection	IK03
Tropicalisation	2 conforming to IEC 60068-1
Relative Humidity	95 % at 55 °C
Ambient Air Temperature For Operation	-25...70 °C

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Ambient Air Temperature For Storage	-40...80 °C
-------------------------------------	-------------

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	4.500 cm
Package 1 Width	7.000 cm
Package 1 Length	8.500 cm
Package 1 Weight	98.600 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	5
Package 2 Height	7.500 cm
Package 2 Width	9.000 cm
Package 2 Length	24.000 cm
Package 2 Weight	554.000 g
Unit Type Of Package 3	S03
Number Of Units In Package 3	75
Package 3 Height	30.000 cm
Package 3 Width	30.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	8.643 kg

## Contractual warranty

Warranty	18 months
----------	-----------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency   RoHS/REACH

## Well-being performance

✓ Reach Free Of Svhc

✓ Toxic Heavy Metal Free

✓ Mercury Free

✓ Rohs Exemption Information   Yes

## Certifications & Standards

Reach Regulation	<a href="#">REACH Declaration</a>
Eu Rohs Directive	Compliant <a href="#">EU RoHS Declaration</a>
China Rohs Regulation	<a href="#">China RoHS declaration</a> Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	<a href="#">Product Environmental Profile</a>
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	<a href="#">End of Life Information</a>