

Acti9 IC60 RCBO - low level auxiliary contact - 10F/SD Smartlink - 24V DC

A9A19804

Main

Range Of Product	Acti9	
Product Or Component Type	OC or fault contact	
Device Short Name	iOF+SD 24	
Signal Contacts Composition	1 C/O	
[In] Rated Current	2100 mA at 24 V, DC	
9 Mm Pitches	1	

Complementary

Local Signalling	Mechanical indicator	
Mounting Mode	Clip-on	
Mounting Support	DIN rail	
Height	86 mm	
Width	9 mm	
Depth	71 mm	
Net Weight	30 g	
Colour	White	
Connections - Terminals	Spring-loaded terminal Ti241 cable(s) 0.51.5 mm² - rigid Spring-loaded terminal Ti241 cable(s) 0.51.5 mm² - flexible	
Wire Stripping Length	10 mm	

Environment

Standards	EN/IEC 60947-5-1 EN/IEC 60947-5-4
Ambient Air Temperature For Operation	-2570 °C
Ambient Air Temperature For Storage	-4070 °C

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	8.000 cm
Package 1 Length	9.800 cm
Package 1 Weight	47.000 g

Unit Type Of Package 2	S03
Number Of Units In Package 2	72
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	4.259 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	End of Life Information