# Product data sheet

Specifications



# Changeover relay iRLI 10A 2P Uc 12VAC Ue 250VAC

A9E15538

#### Main

Range Of Product	Acti9
Product Name	Acti9 iRLI
Product Or Component Type	Relay
Device Short Name	iRLI
Device Application	Changeover relay
Signal Contacts Composition	1 C/O + 1 NO
[Uc] Control Circuit Voltage	12 V AC 50/60 Hz

# Complementary

· · · · · · · · · · · · · · · · · · ·	
[Ie] Rated Operational Current	10 A at 230 V AC (cos Phi = 1)
[Ui] Rated Insulation Voltage	250 V AC
Supply Holding Power	4 VA
Supply Inrush Power	4 VA
Mounting Mode	Fixed
Mounting Support	35 mm symmetrical DIN rail
9 Mm Pitches	2
Height	88 mm
Width	18 mm
Depth	70 mm
Net Weight	0.112 kg
Colour	White
Electrical Durability	AC-21: 100000 cycles
Connections - Terminals	Tunnel type terminals 0.56 mm <sup>2</sup>

#### Environment

Standards	IEC 255 NF C 45-250
Ip Degree Of Protection	IP20
Ambient Air Temperature For Operation	-555 °C
Ambient Air Temperature For Storage	-4070 °C

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.8 cm
Package 1 Width	7.0 cm
Package 1 Length	8.5 cm
Package 1 Weight	117.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	12
Package 2 Height	8.0 cm
Package 2 Width	9.2 cm
Package 2 Length	22.4 cm
Package 2 Weight	1.471 kg
Unit Type Of Package 3	S03
Number Of Units In Package 3	144
Package 3 Height	30.0 cm
Package 3 Width	30.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	17.335 kg

### **Contractual warranty**

Warranty

18 months

Life Is On Schneider

#### **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

#### Well-being performance

Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
	Product out of China RoHS scope. Substance declaration for your information
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins