

Performa - fast-fix suspended bracket - ZnAlMg - 20 mm x 1000 mm x 40 mm

CSU4538570

! Discontinued on: Jan 3, 2022



Important message: This product belongs to Cable Support which is no longer commercialized by Schneider Electric. As per the first of January 2022 the commercialization is managed by Wibe-Group, Please follow the link www.wibe-group.com for further details.

Main

Product Or Component Type	Fast-fix suspended bracket
Quantity Per Set	2 m

Complementary

Permanent Permissible Load	140 kg 2 brackets back to back
Product Destination	Mesh tray zinc+
Mounting Support	Threaded rod
Material	Steel (zinc+)
Atmospheric-Corrosivity Category	C3/C4
Height	20 mm
Width	40 mm
Depth	1000 mm
Height Compatibility	105 mm 35 mm 60 mm 70 mm
Width Compatibility	400 mm 150 mm 300 mm 100 mm 60 mm 200 mm 600 mm 500 mm
Surface Treatment Compatibility	Zinc+

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.5 cm
Package 1 Width	1.1 cm
Package 1 Length	50 cm
Package 1 Weight	904 g

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations