

# Performa - U-profile - ZnAlMg - 30 mm x 55 mm x 1000 mm

CSU4548420

! Discontinued on: Jan 3, 2022

! Discontinued

Important message: This product belongs to Cable Support which is no longer commercialized by Schneider Electric. As per the first of January 2022 the commercialization is managed by Wibe-Group, Please follow the link www.wibe-group.com for further details.

#### Main

Range Of Product	Performa
Product Or Component Type	U-profile
Quantity Per Set	4 m

# Complementary

Shape	U-shape
Material	Steel (zinc+)
Atmospheric-Corrosivity Category	C3/C4
Product Destination	Pendant bracket
Mounting Support	Wall Swivel pendant support
Length	1000 mm
Height	30 mm
Width	55 mm
Surface Treatment Compatibility	Zinc+

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6.5 cm
Package 1 Width	7 cm
Package 1 Length	100 cm
Package 1 Weight	1.523 kg

## **Contractual warranty**

Warranty 18 months

# **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

## Well-being performance

<b>⊘</b>	Reach Free Of Svhc	
<b>⊘</b>	Toxic Heavy Metal Free	
<b>⊘</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations