# Product data sheet

Specifications



① Discontinued

## Performa - central suspension support - ZnAIMg - 40 mm x 60 mm x 4 mm

CSU4548430

U Discontinued on: Jan 3, 2022

Important message: This product belongs to Cable Support which is no longer commercialized by Schneider Electric. As per the first of January 2022 the commercialization is managed by Wibe-Group, Please follow the link www.wibe-group.com for further details.

#### Main

Product Or Component Type	Central suspension support
Quantity Per Set	Set of 30

#### Complementary

oomplemental y		
Product Destination	Mesh tray zinc+	
Mounting Support	Threaded rod	
Material	Steel (zinc+)	
Atmospheric-Corrosivity Category	C3/C4	
Height	40 mm	
Width	60 mm	
Depth	4 mm	
Height Compatibility	35 mm	
Width Compatibility	100 mm	
Surface Treatment Compatibility	Zinc+	

## **Packing Units**

-	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.2 cm
Package 1 Width	0.3 cm
Package 1 Length	0.4 cm
Package 1 Weight	37 g

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eq

Transparency RoHS/REACh

#### Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations