

# Performa Palt - mesh tray - hot-dip galvanized - 60 mm x 60 mm x 3000 mm

CSU4582206

! Discontinued on: Mar 14, 2018



! End-of-service on: Apr 23, 2018

#### Main

Range Of Product	Performa
Product Name	Palt
Product Or Component Type	Mesh tray
Quantity Per Set	24 m

## Complementary

Shape	U-shape
Material	Steel C4D (hot-dip galvanized)
Atmospheric-Corrosivity Category	C3/C4
Longitudinal Wire Diameter	3.9 mm
Transversal Wire Diameter	3.9 mm
Standards	EN/ISO 1461 IEC 60068-2-75 IEC 61537 EN/ISO 9227 EN 50102 DIN 4102-12
Length	3 m
Height	60 mm
Width	60 mm
Height Compatibility	60 mm
Width Compatibility	60 mm
Surface Treatment Compatibility	Hot-dip galvanized

## **Environment**

Ambient Air Temperature For Operation	-40120 °C
Ik Degree Of Protection	IK10

# **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	6 cm
Package 1 Width	20 cm

Package 1 Length	300 cm
Package 1 Weight	546 g

# **Contractual warranty**

Warranty 18 months

## **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information
Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)  EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations