Specifications



Performa Palt - mesh tray - hot-dip galvanized - 60 mm x 300 mm x 3000 mm

CSU4582230

() Discontinued on: Mar 14, 2018

() Discontinued

(!) End-of-service on: Apr 23, 2018

Main

Range Of Product	Performa
Product Name	Palt
Product Or Component Type	Mesh tray
Quantity Per Set	6 m

Complementary

Shape	U-shape
Material	Steel C4D (hot-dip galvanized)
Atmospheric-Corrosivity Category	C3/C4
Longitudinal Wire Diameter	3.9 mm
Transversal Wire Diameter	3.9 mm
Standards	EN/ISO 9227 EN/ISO 1461 IEC 61537 DIN 4102-12 IEC 60068-2-75 EN 50102
Length	3 m
Height	60 mm
Width	300 mm
Height Compatibility	60 mm
Width Compatibility	300 mm
Surface Treatment Compatibility	Hot-dip galvanized

Environment

Ambient Air Temperature For Operation	-40120 °C
Ik Degree Of Protection	IK10

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	8 cm
Package 1 Width	30 cm

Package 1 Length	300 cm	
Package 1 Weight	1629 g	

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Fa

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations