Specifications



① Discontinued

Main

Range Of Product	Performa
Product Or Component Type	Mesh tray
Quantity Per Set	516 m
Type Of Packing	Pallet

() Discontinued on: Mar 21, 2017

CSU4595210

Performa - mesh tray - stainless

steel - 70 mm x 100 mm x 3000 mm

Complementary

oompionientai j	
Shape	U-shape
Material	Steel C4D (stainless steel)
Atmospheric-Corrosivity Category	C5-I
Longitudinal Wire Diameter	4.4 mm
Transversal Wire Diameter	3.9 mm
Cable Cross Section	28968 mm ²
Standards	EN/ISO 9227 DIN 4102-12 EN 12329 IEC 61537 IEC 60068-2-75 EN 50102
Length	3 m
Height	75 mm
Width	100 mm
Height Compatibility	70 mm
Width Compatibility	100 mm
Surface Treatment Compatibility	Stainless steel

Surface Treatment Compatibility Stainless steel

Environment

Ambient Air Temperature For Operation	-40120 °C
Ik Degree Of Protection	IK10

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	7 cm

Package 1 Width	10 cm	
Package 1 Length	300 cm	
Package 1 Weight	3.168 kg	

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eq

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations