Specifications



(!) Discontinued

# Stago - bottom connector - 250 mm - steel - pre-galvanized

CSU70282500

#### () Discontinued on: Jan 3, 2022

Important message: This product belongs to Cable Support which is no longer commercialized by Schneider Electric. As per the first of January 2022 the commercialization is managed by Wibe-Group, Please follow the link www.wibe-group.com for further details.

#### Main

Range	Stago
Range Of Product	Stago
Product Or Component Type	Connector
Mounting Location	Partly outdoor environment with low exposure to corrosion ware-houses and parking garages

## Complementary

Product Destination	Cable tray KG281 H= 60 mm W= 250 mm Cable tray KG281 H= 110 mm W= 250 mm Cable tray KB184 H= 60 mm W= 250 mm Cable tray KB184 H= 110 mm W= 250 mm
Fixing Mode	By screw
Material With Surface Treatment	Steel pre-galvanized
Corrosion Class	C2
Height	1 mm
Width	230 mm
Length	110 mm
Net Weight	0.184 kg / set of 100

#### **Environment**

Standards

DIN 4102-12

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eq

Transparency RoHS/REACh

### Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

## **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations