

Stago - ES114 tray closed 60x400mm L=3m 1mm stainless steel AISI 304

CSU76604034

Discontinued on: Jan 3, 2022

① Discontinued

Important message: This product belongs to Cable Support which is no longer commercialized by Schneider Electric. As per the first of January 2022 the commercialization is managed by Wibe-Group, Please follow the link www.wibe-group.com for further details.

Main

Range Of Product	Stago
Product Or Component Type	Cable tray
Cable Support Type	Unperforated
Mounting Location	Area with almost permanent high levels of humidity and airborne pollution tunnels and dockyards

Complementary

Product Destination	ES114 cable tray
Fixing Mode	By screw
Material With Surface Treatment	Stainless steel AISI 304
Corrosion Class	C5-I
Thickness	1 mm
Perforation Location	Bottom perforation
Nominal Cross Section	24000 mm²
Height	60 mm
Width	400 mm
Length	3 m
Net Weight	4.17 kg / 100 m

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	40 cm
Package 1 Width	6 cm
Package 1 Length	300 cm
Package 1 Weight	4.71 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance

⊘	Reach Free Of Svhc	
⊘	Toxic Heavy Metal Free	
⊘	Mercury Free	
②	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations