

# Stago - horizontal bend 90° formed 60x70mm stainless steel AISI 304

CSU76620730

! Discontinued on: Jan 3, 2022

① Discontinued

Important message: This product belongs to Cable Support which is no longer commercialized by Schneider Electric. As per the first of January 2022 the commercialization is managed by Wibe-Group, Please follow the link www.wibe-group.com for further details.

### Main

Range Of Product	Stago
Range	Stago
Product Or Component Type	Bend
Device Application	Cable management

## Complementary

Operating Angle	90 °
Direction Change Type	Horizontal
Inner Radius	100 mm
Adjustment	Fixed
Product Destination	Cable tray ES114 H= 60 mm W= 70 mm
Fixing Mode	By screw
Shape	Bended
Material With Surface Treatment	Stainless steel
Corrosion Class	C5-I
Thickness	1 mm
Height	63 mm
Width	275 mm
Depth	275 mm
Net Weight	0.82 kg / set of 1

#### **Environment**

**Mounting Location**Area with almost permanent high levels of humidity and airborne pollution tunnels and dockyards

# **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

# Well-being performance

<b>⊘</b>	Reach Free Of Svhc	
<b>⊘</b>	Toxic Heavy Metal Free	
<b>⊘</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

## **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations