Product data sheet

Specifications



① Discontinued

Stago - internal riser formed -60x250 mm - stainless steel AISI 304

CSU76662530

Uiscontinued on: Jan 3, 2022

Important message: This product belongs to Cable Support which is no longer commercialized by Schneider Electric. As per the first of January 2022 the commercialization is managed by Wibe-Group, Please follow the link www.wibe-group.com for further details.

Main

Range Of Product	Stago
Range	Stago
Product Or Component Type	Riser
Device Application	Cable management

Complementary

e emprementar y	
Operating Angle	90 °
Direction Change Type	Vertical
Inner Radius	180 mm
Adjustment	Fixed
Shape	Bended
Product Destination	Cable tray ES114 H= 60 mm W= 250 mm
Fixing Mode	By screw
Material With Surface Treatment	Stainless steel AISI 304
Corrosion Class	C5-I
Thickness	1 mm
Height	236 mm
Width	253 mm
Depth	236 mm
Net Weight	1.65 kg / set of 1

Environment

Mounting Location

Area with almost permanent high levels of humidity and airborne pollution tunnels and dockyards

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eq

Transparency RoHS/REACh

Well-being performance

Reach Free Of Svhc
Toxic Heavy Metal Free

Mercury Free

Rohs Exemption Information Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations