

Category 5e, UTP Keystone, Modular Jack, Yellow

DCEKYSTUYL

- ! Discontinued on: Jun 30, 2019
- ! End-of-service on: Oct 22, 2019

① Discontinued

Main

Range Of Product	Digilink
Product Or Component Type	Modular jack
Cable Shielding Type	UTP
Communication Network Category	5e
Colour Tint	Yellow

Complementary

Connector Type	RJ45
Type Of Footprint	Keystone
Insulation Resistance	>= 500 mOhm at 500 V DC
Minimum Number Of Matings	750 cycles
Contacts Material	Phosphor bronze with 50 micro-inches gold over 100 micro-inches nickel
Pulling Force	140 N
Delay Skew	2.5 ns at 1100 MHz
[In] Rated Current	1.5 A
Contact Resistance	20 mOhm
[Ue] Rated Operational Voltage	< 72 V DC

Environment

Flame Retardance	V-0 conforming to UL 94
Product Certifications	UL listed UL/ETL verified
Standards	ISO/IEC 11801 class D ANSI/TIA-568-C.2

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1 cm
Package 1 Width	9 cm
Package 1 Length	15 cm
Package 1 Weight	10 g

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins