

Cable ends, Linergy TR cable ends, single conductor, 6mm², for uninsulated, long size, 10 sets of 100

DZ5CE060L

Main

Range Of Product	Linergy
Product Or Component Type	Cable end
Cable End Size	Long
Standards	DIN 46228-1
Type Of Packing	Individual bag
Quantity Per Set	Set of 100
Cable Cross Section	6 mm²

Complementary

Cable End Type	Single conductor
Additional Information	Non-insulated
Bezel Material	Halogen-free plastic
Tube Material	Copper conforming to ISO 1337
Number Of Cables	1
Awg Gauge	AWG 10
Bezel Size	Ø 6.9 mm
Tube Diameter	3.9 mm
Length	18 mm
Tube Length	18 mm
Net Weight	0.065 kg

Environment

-20105 °C
2010

Packing Units

_	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	0.300 cm
Package 1 Width	0.300 cm
Package 1 Length	1.800 cm
Package 1 Weight	0.300 g
Unit Type Of Package 2	BB1

Number Of Units In Package 2	100
Package 2 Height	3.000 cm
Package 2 Width	3.500 cm
Package 2 Length	7.000 cm
Package 2 Weight	38.000 g
Unit Type Of Package 3	S01
Number Of Units In Package 3	5000
Package 3 Height	15.000 cm
Package 3 Width	15.000 cm
Package 3 Length	40.000 cm
Package 3 Weight	2.151 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

Ø	Reach Free Of Svhc
9	Toxic Heavy Metal Free
②	Mercury Free
9	Rohs Exemption Information Yes
⊘	Pvc Free
⊘	Halogen Free Plastic Parts Product

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant
	EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
	Pro-active China RoHS declaration (out of China RoHS legal scope)
Circularity Profile	No need of specific recycling operations