

# 2 Gang Angled Shuttered Wallplate, White (for China)

E3032ASWW

! Discontinued on: Oct 25, 2023

! Discontinued

#### Main

Range	Actassi
Aesthetic Name	NEO
Product Or Component Type	Wallplates
Provided Equipment	With shutter
Cover Plate Colour Tint	White

## Complementary

Socket Number	1
Number Of Gangs	2 gangs
Product Compatibility	Actassi RJ45 keystone modular jack
Device Mounting	Flush Surface
Material	Polycarbonate
Depth	43.8 mm
Width	87 mm
Height	87 mm
Targeted Region	Asia Pacific.

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.65 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	82.43 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	9.5 cm
Package 2 Width	19.0 cm
Package 2 Length	19.5 cm
Package 2 Weight	916.3 g

Unit Type Of Package 3	CAR
Number Of Units In Package 3	60
Package 3 Height	21.5 cm
Package 3 Width	30.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	5.978 kg

## **Contractual warranty**

Warranty 18 months

### Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

#### Well-being performance

<b>⊘</b>	Reach Free Of Svhc	
<b>⊘</b>	Toxic Heavy Metal Free	
<b>⊘</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations