Product data sheet

Specifications

2G RJ45 Data Outlet, Cat 5e, Keystone on Shuttered Wallplate, White

E8232RJS_5_WE

⚠ **Discontinued on:** Apr 15, 2024

⚠ **Discontinued**

Main

Product Or Component Type	Data socket
Communication Network Category	5e
Number Of Gangs	2 gangs
Cover Frame Colour Tint	White

Complementary

Wiring Device Mounting	Surface Flush
Material	Polycarbonate: surround Polycarbonate: grid plate
Connections - Terminals	RJ45 connector
Width	87 mm
Height	87 mm
Depth	38.8 mm

Environment

Ambient Air Temperature For Operation	-5…40 °C
Relative Humidity	0…95 %
Standards	IEC 60670 GB 17466

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.88 cm
Package 1 Width	8.7 cm
Package 1 Length	8.7 cm
Package 1 Weight	66.83 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	6
Package 2 Height	15 cm
Package 2 Width	19 cm

Life Is On | Schneider Electric

Package 2 Length	6 cm
Package 2 Weight	535 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	60
Package 3 Height	21 cm
Package 3 Width	32.5 cm
Package 3 Length	50 cm
Package 3 Weight	5337.6 g

Contractual warranty

Warranty	18 months

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO_2 products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium ›

Guide to assess a product's sustainability ›

Transparency   RoHS/REACh

Well-being performance

✓ Mercury Free

✓ Rohs Exemption Information   Yes

Certifications & Standards

Reach Regulation   REACh Declaration

Eu Rohs Directive   Compliant with Exemptions

China Rohs Regulation   China RoHS declaration

Product out of China RoHS scope. Substance declaration for your information

---

Environmental Disclosure   Product Environmental Profile

Circularity Profile   No need of specific recycling operations

---