

Product data sheet

Specifications



AvatarOn, fuse connection, 13A, 250V, White

E8330FSG_WE_C5

Main

Range	AvatarOn
Product Or Component Type	Fused connection
Quantity Per Set	Set of 1

Complementary

Device Presentation	Complete product
Colour Tint	White
Pilot Light	without neon indicator
Number Of Gangs	1 gang
Material	Steel
Mounting Support	Wall mounted
Rated Current	13 A at 250 V AC 50...60 Hz
Connections - Terminals	Screw terminals
Height	86 mm
Width	86 mm
Depth	38.2 mm
Ip Degree Of Protection	IP20
Fuse Type	Blade type

Environment

Standards	BS 1363
-----------	---------

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.7 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	94.0 g
Unit Type Of Package 2	CAR
Number Of Units In Package 2	10
Package 2 Height	9.5 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Width	19.0 cm
Package 2 Length	19.5 cm
Package 2 Weight	1.113 kg

Sustainability

Green Premium™ label is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

Well-being performance



Mercury Free



RoHS Exemption Information

[Yes](#)

Certifications & Standards

Reach Regulation	REACH Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations