

Telephone socket, AvatarOn, wood

E8331RJS4_WD_G11

Discontinued on: Jun 30, 2023

① Discontinued

Main

Product Or Component Type	Telephone socket
Device Application	Communication
Socket Additional Information	Shuttered
Number Of Gangs	1 gang
Material	PC (polycarbonate): housing Polycarbonate: plastic part
Colour Tint	Wood
Colour Tint	Wood

Complementary

Device Presentation	Complete product
Device Mounting	Surface Flush
Communication Network Category	Voice: 3
Rated Current	1.5 A
Contacts Material	Contact: phosphor bronze with gold plating IDC contact: phosphor bronze with nickel plating
Contact Resistance	1 μOhm
Insulation Resistance	>= 200 MOhm
Minimum Return Loss	23 dB
Width	86 mm
Height	86 mm
Depth	40.7 mm

Environment

Dielectric Strength	1000 V for 60 s at 60 Hz
Awg Gauge	AWG 26AWG 22 (4 twisted pair cables)
Environmental Characteristic	UV resistant
Maximum Ambient Air Temperature For Operation	45 °C
Relative Humidity	095 %
Standards	TIA/EIA-568-B.2-1 ASTMD4566-98

Ip Degree Of Protection IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.1 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	58 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	9.5 cm
Package 2 Width	19 cm
Package 2 Length	19.5 cm
Package 2 Weight	638 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	60
Package 3 Height	21 cm
Package 3 Width	30 cm
Package 3 Length	39.5 cm
Package 3 Weight	3.828 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations