# Product data sheet

Specifications



① Discontinued

#### Main

hann	
Product Or Component Type	Cover plate
Accessory / Separate Part Category	Mounting accessory
Colour Tint	Wood painted
Type Of Packing	Flow-pack
Main Colour Tint	Wood

rocker, Wood

() Discontinued on: Jun 30, 2023

E8334\_WD\_G11

Cover plate, AvatarOn, for switch, 4

# Complementary

Colour Tint	Wood
Range Compatibility	AvatarOn switch
Product Destination	Switch
Number Of Rocker	4
Material	PC (polycarbonate)
Surface Finish	Glossy
Surface Treatment	Untreated
Height	86 mm
Width	86 mm
Depth	21 mm

## Environment

Ambient Air Temperature For Storage	-545 °C
Ambient Air Temperature For Operation	095 °C
Standards	IEC 60670 BS 5733

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	1.9 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	34.0 g

Unit Type Of Package 2	CAR
Number Of Units In Package 2	12
Package 2 Height	9.5 cm
Package 2 Width	19.0 cm
Package 2 Length	19.5 cm
Package 2 Weight	445.0 g

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



Eà

Transparency RoHS/REACh

#### Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

## **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations