

AvatarOn, socket-outlet, 13A, 2 x 3P, British BS 1363A, wood

E83T426_WD_C5

Main

Product Or Component Type	Socket-outlet
Device Presentation	Complete product
Device Application	Power supply
Load Type	No inductive load
Colour Tint	Wood
Outlet Poles Configuration	2 x 3P
Outlet Standard	British BS 1363A
Colour Tint	Wood

Complementary

Rated Current	13 A at 250 V AC 50 Hz
Socket Number	2
Socket-Outlet Type	Shuttered
Clamping Connection Capacity	1 x 42 x 4 mm² for solid cable(s) 1 x 42 x 4 mm² for stranded cable(s) 1 x 2.53 x 2.5 mm² for solid cable(s) 1 x 2.53 x 2.5 mm² for stranded cable(s)
Connections - Terminals	Folded terminal
Material	Polycarbonate grid plate Polycarbonate surround
Device Mounting	Surface
Width	146 mm
Height	86 mm
Depth	26.6 mm

Environment

Ip Degree Of Protection	IP20
Maximum Ambient Air Temperature For Operation	45 °C
Ambient Air Temperature For Storage	-560 °C
Relative Humidity	095 %
Environmental Characteristic	UV resistant
Standards	MS 589
	SS 145
	BS 1363

Product Certifications SIRIM

Packing Units

r adming dime	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.7 cm
Package 1 Width	8.6 cm
Package 1 Length	14.6 cm
Package 1 Weight	127 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	7
Package 2 Height	9.5 cm
Package 2 Width	19 cm
Package 2 Length	19.5 cm
Package 2 Weight	1.046 kg
Unit Type Of Package 3	CAR
Number Of Units In Package 3	42
Package 3 Height	21 cm
Package 3 Width	30 cm
Package 3 Length	39.5 cm
Package 3 Weight	6279 g

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >







Sustainable Packaging Transparency RoHS/REACh

Resource performance



Sustainable Packaging

Well-being performance

Ø 1

Reach Free Of Svhc



Toxic Heavy Metal Free



Mercury Free



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations