Specifications



() Discontinued

10A 1 Gang Switched Universal Socket with Ondicator, Silver Satin

E8415U_SA

() Discontinued on: Dec 17, 2020

Main

Range	ZENcelo
Product Or Component Type	Power socket-outlet
Outlet Poles Configuration	2P China
Load Type	Resistive
Cover Frame Colour Tint	Silver satin
Cover Plate Colour Tint	Grey

Complementary

Device Mounting	Flush Surface	
Local Signalling	Mechanical indicator (red)	
Rated Current	10 A at 250 V AC 50 Hz	
Number Of Gangs	1 gang	
Material	Polycarbonate grid plate Polycarbonate surround Brass contact plate Bronze contact plate	
Connections - Terminals	Ferminals Clamps terminal	
Width	87 mm	
Height	87 mm	
Depth	27 mm	

Environment

Ambient Air Temperature For Operation	-540 °C
Relative Humidity	095 %
Environmental Characteristic	No UV resistant
Operating Altitude	2000 m
Standards	GB 2099.1 GB 16915.1 IEC 60884-2-3
Standards	GB 2099.1 IEC 60884-2-3 GB 16915.1

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3 cm
Package 1 Width	8.72 cm
Package 1 Length	8.72 cm
Package 1 Weight	132.08 g

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Circularity Profile	End of Life Information
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Eu Rohs Directive	Compliant EU RoHS Declaration
Reach Regulation	REACh Declaration