

# Panic Button with Key Reset, Black

E8431KPB\_GA\_DG

! Discontinued on: Jun 30, 2023

① Discontinued

#### Main

Range	ZENcelo
Product Or Component Type	EMO switch
Colour Tint	Black

## Complementary

Device Mounting	Surface Flush	
Cable Cross Section	1.5 mm²	
Rated Current	3 A at 24 V DC	
Material	Polycarbonate	
Connections - Terminals	Pillar terminals	
Width	87 mm	
Height	87 mm	
Depth	33.6 mm	

## **Environment**

Maximum Ambient Air Temperature For Operation	30 °C	
Relative Humidity	095 %	

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.0 cm
Package 1 Width	8.7 cm
Package 1 Length	8.7 cm
Package 1 Weight	76.0 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	9.5 cm
Package 2 Width	19.0 cm
Package 2 Length	19.5 cm

Package 2 Weight	852.4 g
Unit Type Of Package 3	CAR
Number Of Units In Package 3	60
Package 3 Height	21.5 cm
Package 3 Width	30.0 cm
Package 3 Length	40.0 cm
Package 3 Weight	5.594 kg

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance

<b>Ø</b>	Reach Free Of Svhc	
<b>⊘</b>	Toxic Heavy Metal Free	
<b>⊘</b>	Mercury Free	
<b>⊘</b>	Rohs Exemption Information	Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations