

# 16AX 1 Gang Full-Flat Intermediate Switch, Wine Gold

E8431\_I\_GA\_WG

Discontinued on: Apr 15, 2024

! Discontinued

## Main

Range	ZENcelo
Product Or Component Type	Switch
Load Type	Incandescent lamp Fluorescent lamp Inductive
Colour Tint	Wine gold
Cover Frame Colour Tint	Wine gold

## Complementary

Device Mounting	Surface Flush
Switch Function	1-way
Rated Current	20 A at 250 V AC 50/60 Hz 16 AX
Number Of Gangs	1 gang
Material	Polycarbonate + GF 20 %: grid plate Polycarbonate: base Polycarbonate: cover Polycarbonate: surround
Connections - Terminals	Pillar terminals
Embedding Depth	23.9 mm
Width	87 mm
Height	87 mm
Depth	32.1 mm

## **Environment**

Ambient Air Temperature For Operation	-535 °C
Relative Humidity	095 %
Environmental Characteristic	No UV resistant
Operating Altitude	2000 m
Standards	MS IEC 60669-1 GB 16915.1 SS 227-1 IEC 60669-1 BS EN 60669-1

## **Packing Units**

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	3.3 cm
Package 1 Width	8.6 cm
Package 1 Length	8.6 cm
Package 1 Weight	68.8 g

## **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

## Well-being performance

✓ Reach Free Of Svhc
 ✓ Toxic Heavy Metal Free
 ✓ Mercury Free
 ✓ Rohs Exemption Information

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)
Environmental Disclosure	Product Environmental Profile
Circularity Profile	No need of specific recycling operations