
Specifications



() Discontinued

10A 1 Gang 2 Universal Pin + 3 Flat Pin Socket with Shutter, Wine Gold

E84426_10US_GA_WG

() Discontinued on: Apr 15, 2024

Main

Range	ZENcelo
Product Or Component Type	Power socket-outlet
Socket Additional Information	Shuttered
Outlet Poles Configuration	2P + E China 2P universal
Load Type	Resistive
Colour Tint	Wine gold
Cover Frame Colour Tint	White

Complementary

Device Mounting	Surface Flush	
Rated Current	10 A at 250 V AC 50 Hz	
Number Of Gangs	1 gang	
Material	Polycarbonate grid plate Polycarbonate surround Brass contact plate Phosphor bronze contact plate	
Connections - Terminals	Clamps terminal	
Embedding Depth	17.8 mm	
Width	87 mm	
Height	87 mm	
Depth	27 mm	

Environment

Ambient Air Temperature For Operation	-535 °C
Relative Humidity	095 %
Environmental Characteristic	No UV resistant
Operating Altitude	2000 m

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	3.0 cm	
Package 1 Width	8.6 cm	
Package 1 Length	8.6 cm	
Package 1 Weight	77.76 g	

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Circularity Profile	End of Life Information
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Eu Rohs Directive	Compliant EU RoHS Declaration
Reach Regulation	REACh Declaration