Specifications



PowerLogic wiring adapter for PPACS sensors, screw terminal, RJ45

EMS59575

Main

Range Of Product	PowerLogic T300
Product Or Component Type	Voltage adaptor

Complementary

	,
Rated Voltage	1136 kV
Input Voltage Limits	< 30 V
Network Frequency	50/60 Hz
Electrical Connection	Output: connector RJ45 Input: wires

Environment

Product Certifications	CE
Ip Degree Of Protection	IP30 conforming to IEC 60529
Ik Degree Of Protection	IK07 conforming to IEC 62262
Ambient Air Temperature For Operation	-4085 °C
Ambient Air Temperature For Storage	-4085 °C
Fire Resistance	850 °C conforming to IEC 60695-2-11
Environmental Characteristic	Salt mist: 200 h conforming to IEC 60068-2-11
Relative Humidity	95 % conforming to IEC 60068-2-30
Operating Altitude	<= 3000 m
Height	10 mm
Width	170 mm
Length	240 mm
Net Weight	0.25 kg

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	14.000 cm
Package 1 Length	18.000 cm
Package 1 Weight	48 g

Unit Type Of Package 2	S02
Number Of Units In Package 2	50
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	2.700 kg

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Reach Free Of Svhc	
Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins