

Asfora - 1pole pushbutton -10A screwless, light symbol, white

EPH0900121

Main

Range	Asfora	
Product Or Component Type	Push-button	
Device Presentation	Complete product	
Number Of Rocker	1	
Colour Tint	White	
Type Of Packing	Flow-pack	

Complementary

Device Mounting	Flush	
Power Range	2300 W	
Rated Current	10 A at 250 V AC	
Number Of Cables	2 cable(s) 2.5 mm ²	
Cable Stiffness	Flexible Rigid Solid stranded	
Wire Stripping Length	13.0 mm	
Material	ABS (acrylonitrile butadiene-styrene)	
Surface Finish	Glossy	
Conductor Material	Copper	
Fixing Mode	Screws or claws5170 mm	
Connections - Terminals	Screwless terminals	
Marking	Light symbol	
Width	83 mm	
Height	83 mm	
Depth	43.0 mm	
Projecting Depth	15 mm	
Net Weight	0.0705 kg	

Environment

Standards	IEC 60669-1
Product Certifications	TSE VDE
	NF

Quality Labels	CE UKR
Ip Degree Of Protection	IP20
Ambient Air Temperature For Operation	-540 °C

Packing Units

PCE
1
4.0 cm
8.0 cm
8.0 cm
72.0 g
BB1
10
9.5 cm
18.5 cm
27.5 cm
790.0 g
S04
120
30.0 cm
40.0 cm
60.0 cm
10.101 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

Well-being performance



Rohs Exemption Information

Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant with Exemptions
China Rohs Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations