Specifications



# Asfora, TV-R-SAT ending socket, 1dB, white

EPH3500121

## Main

| Range                                   | Asfora   |
|---|--|
| Product Or Component Type               | TV/SAT/R socket  |
| Device Presentation                     | Complete product   |
| Tv Socket Type                          | End-of-line (terminal socket)  |
| Wiring Device Additional<br>Information | For series distribution systems<br>For parallel distribution systems |
| Type Of Packing                         | Flow-pack  |

# Complementary

| Device Mounting         | Flush  |
|-------------------------|--|
| Fixing Mode             | Claws5180 mm   |
| Socket Number           | 3  |
| Tv Connector            | Male IEC 9.52 mm   |
| Radio Connector         | Female IEC 9.52 mm   |
| Sat Connector           | F type   |
| Attenuation             | 1 dB   |
| Colour Tint             | White  |
| Surface Finish          | Glossy   |
| Material                | ABS (acrylonitrile butadiene-styrene): central plate<br>ABS (acrylonitrile butadiene-styrene): cover frame |
| Dc Current Flow         | In SAT socket  |
| Number Per Line         | 1  |
| Connections - Terminals | Screwless terminals  |
| Conductor Material      | Copper   |
| Height                  | 83 mm  |
| Width                   | 83 mm  |
| Depth                   | 42 mm  |
| Projecting Depth        | 13 mm  |
| Net Weight              | 0.117 kg   |
| Ip Degree Of Protection | IP20   |

# Environment

| Quality Labels CI | Ξ |
|-------------------|---|
|-------------------|---|

## **Packing Units**

| Facking Units                |           |
|------------------------------|-----------|
| Unit Type Of Package 1       | PCE       |
| Number Of Units In Package 1 | 1         |
| Package 1 Height             | 4.000 cm  |
| Package 1 Width              | 8.000 cm  |
| Package 1 Length             | 8.000 cm  |
| Package 1 Weight             | 104.300 g |
| Unit Type Of Package 2       | BB1       |
| Number Of Units In Package 2 | 10        |
| Package 2 Height             | 9.500 cm  |
| Package 2 Width              | 18.500 cm |
| Package 2 Length             | 27.500 cm |
| Package 2 Weight             | 1.119 kg  |
| Unit Type Of Package 3       | S03       |
| Number Of Units In Package 3 | 60        |
| Package 3 Height             | 30.000 cm |
| Package 3 Width              | 30.000 cm |
| Package 3 Length             | 40.000 cm |
| Package 3 Weight             | 7.178 kg  |
|                              |           |

# **Contractual warranty**

Warranty

18 months

### **Sustainability**

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

#### Well-being performance

| Reach Free Of Svhc         |   |
|----------------------------|---|
| Rohs Exemption Information | Yes   |
|                            |   |
| Reach Regulation           | REACh Declaration   |
| Eu Rohs Directive          | Compliant   |
|                            | EU RoHS Declaration   |
| China Rohs Regulation      | China RoHS declaration  |
|                            | Pro-active China RoHS declaration (out of China RoHS legal scope)   |
| Weee                       | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |