

# Asfora,TV-SAT-SAT ending socket, 1dB, aluminium

EPH3600161

Discontinued on: Jun 30, 2023

! Discontinued

#### Main

| Range                                | Asfora  |
|--------------------------------------|---|
| Product Or Component Type            | TV/SAT socket   |
| Device Presentation                  | Mechanism with fixing frame                                       |
| Tv Socket Type                       | End-of-line (terminal socket)                                     |
| Wiring Device Additional Information | For parallel distribution systems For series distribution systems |
| Type Of Packing                      | Flow-pack   |

# Complementary

| Device Mounting         | Flush  |
|-------------------------|--|
| Fixing Mode             | Claws5180 mm   |
| Socket Number           | 3  |
| Tv Connector            | Male IEC 9.52 mm                                     |
| Sat Connector           | F type   |
| Attenuation             | 1 dB   |
| Colour Tint             | Aluminium  |
| Surface Finish          | Painted  |
| Material                | ABS (acrylonitrile butadiene-styrene): central plate |
| Dc Current Flow         | In SAT socket  |
| Number Per Line         | 1  |
| Connections - Terminals | Screwless terminals                                  |
| Conductor Material      | Copper   |
| Height                  | 71 mm  |
| Width                   | 71 mm  |
| Depth                   | 42 mm  |
| Projecting Depth        | 13 mm  |
| Net Weight              | 0.105 kg   |
| Ip Degree Of Protection | IP20   |

#### **Environment**

Quality Labels CE

# **Packing Units**

| Unit Type Of Package 1       | PCE      |
|------------------------------|----------|
| Number Of Units In Package 1 | 1        |
| Package 1 Height             | 4.5 cm   |
| Package 1 Width              | 6.5 cm   |
| Package 1 Length             | 7 cm     |
| Package 1 Weight             | 108.25 g |
| Unit Type Of Package 2       | BB1      |
| Number Of Units In Package 2 | 10       |
| Package 2 Height             | 9.5 cm   |
| Package 2 Width              | 18.5 cm  |
| Package 2 Length             | 27.5 cm  |
| Package 2 Weight             | 1.211 kg |
| Unit Type Of Package 3       | S03      |
| Number Of Units In Package 3 | 60       |
| Package 3 Height             | 30 cm    |
| Package 3 Width              | 30 cm    |
| Package 3 Length             | 40 cm    |
| Package 3 Weight             | 7.554 kg |

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

## Well-being performance

| Toxic Heavy Metal Free     |   |
|----------------------------|---|
| Mercury Free               |   |
| Rohs Exemption Information | Yes   |
| Eu Rohs Directive          | Compliant   |
| Eu Rons Directive          | EU RoHS Declaration   |
| China Rohs Regulation      | China RoHS declaration  Pro-active China RoHS declaration (out of China RoHS legal scope)                                   |
| Weee                       | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins |