

Asfora - data socket - RJ45 cat.5e UTP and RJ12 cream

EPH4900123

Main

Range	Asfora
Product Or Component Type	Data socket
Device Presentation	Complete product
Telephone Socket Type	RJ12
Data Socket Type	RJ45 - category 5e
Colour Tint	Cream
Type Of Packing	Flow-pack

Complementary

Wiring Device Mounting	Flush
Socket Number	2
Connections - Terminals	IDC: RJ45 IDC: RJ12
Cable Stiffness	Rigid
Material	ABS (acrylonitrile butadiene-styrene)
Surface Finish	Glossy
Conductor Material	Copper
Fixing Mode	Claws5180 mm
Height	83 mm
Width	83 mm
Depth	36 mm
Projecting Depth	9 mm
Net Weight	0.097 kg

Environment

Ip Degree Of Protection IP20

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	11.000 cm
Package 1 Width	16.000 cm

Package 1 Length	5.000 cm
Package 1 Weight	100.000 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	10
Package 2 Height	9.400 cm
Package 2 Width	18.500 cm
Package 2 Length	27.500 cm
Package 2 Weight	1139.000 kg
Unit Type Of Package 3	S04
Number Of Units In Package 3	120
Package 3 Height	30.000 cm
Package 3 Width	40.000 cm
Package 3 Length	60.000 cm
Package 3 Weight	14419.000 kg

Contractual warranty

Warranty 18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance



Reach Free Of Svhc

Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Circularity Profile	No need of specific recycling operations