Specifications

Ultra - bend 90° - 16 x 16 mm - ABS - white



ETK16340

Main

Range Of Product	Ultra
Product Or Component Type	90° bend
Device Application	Cable distribution
Colour Tint	White (RAL 9010)
Quantity Per Set	Set of 60
Market Segment	Small commercial Residential

Complementary

Trunking Dimension	16 x 16 mm
Trunking Material	Plastic
Fixing Mode	Snap-fitted
Material	ABS thermoplastic enclosure
Height	15 mm
Width	31 mm
Depth	31 mm

Environment

Standards	EN 50085-1:2005 EN 50085-2-1:2006
Ambient Air Temperature For Operation	-560 °C
Ip Degree Of Protection	IP40
Ik Degree Of Protection	IK07

Packing Units

-	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	2.000 cm
Package 1 Width	4.000 cm
Package 1 Length	4.000 cm
Package 1 Weight	5.100 g
Unit Type Of Package 2	BB1
Number Of Units In Package 2	60

Package 2 Height	9.000 cm
Package 2 Width	10.500 cm
Package 2 Length	13.500 cm
Package 2 Weight	227.000 g
Unit Type Of Package 3	S04
Number Of Units In Package 3	960
Package 3 Height	30.000 cm
Package 3 Width	40.000 cm
Package 3 Length	60.000 cm
Package 3 Weight	6.714 kg

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >



RoHS/REACh

Well-being performance

Reach Free Of Svhc

Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration Pro-active China RoHS declaration (out of China RoHS legal scope)
Circularity Profile	No need of specific recycling operations