Specifications

Attached Cable T2 16A 1-Ph IEC 4 meters - Wallbox EVH2 spare part

EVP2CNS161C4

Main

Range	EVlink
Product Or Component Type	Charging cable
Accessory / Separate Part Category	Spare part
Network Number Of Phases	Single phase
Poles Description	1P + N
[In] Rated Current	16 A
[Us] Rated Supply Voltage	220240 V AC 50/60 Hz
Earthing System	Compatible TT
	Compatible IT with additional isolation transformer on the power supply
	Compatible TN
Nominal Output Power	3.7 W 16 A
Socket Number	1

Complementary

Connector Type	T2 vehicle end silver plated contacts Without connector charging station end
Range Compatibility	EVIink EVIink Wallbox EVH2 charging station
Standards	IEC 62196-2 IEC 62196-1
Product Certifications	CE
Length	4 m
Net Weight	3.1 kg

Environment

Ip Degree Of Protection	IP54 conforming to IEC 60529
Ik Degree Of Protection	IK10 conforming to IEC 62262
Ambient Air Temperature For Operation	-3050 °C
Ambient Air Temperature For Storage	-4080 °C
Relative Humidity	595 %

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1

Package 1 Height	15 cm	
Package 1 Width	30 cm	
Package 1 Length	40 cm	
Package 1 Weight	1.48 kg	

Sustainability

Green Premium[™] label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
	Mercury Free	
	Rohs Exemption Information	Yes
Rea	ch Regulation	REACh Declaration
Eu F	Rohs Directive	Compliant EU RoHS Declaration
Chir	na Rohs Regulation	China RoHS declaration