

# Electrical motor, EasyPact EXE, remote control, 200 to 240Vac, 50/60Hz

EXECH20A

#### Main

Range Of Product	Evolis EasyPact EXE
Device Short Name	МСН
Product Or Component Type	Motor mechanism
Range Compatibility	EasyPact EXE Evolis
Device Application	Automatic spring charging

# Complementary

Control Type	Remote control
Rated Supply Voltage Of Auxiliary And Control Circuits (Ua)	200240 V AC 50/60 Hz
Threshold Tripping Voltage	0.851.1 Ua
Charging Time	6 s maximum
Maximum Operating Frequency	<= 3 cycles per minute
Overcurrent Protection	23 x In 0.1 s motor
Power Consumption In W	180 W
Input Current	10 mA at 240 V
Mounting Mode	Fixed
Accessory / Separate Part Category	Spare part
Accessory / Separate Part Type	Base function

# **Packing Units**

•	
Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	12.6 cm
Package 1 Width	13.1 cm
Package 1 Length	22.9 cm
Package 1 Weight	1.893 kg
Unit Type Of Package 2	S03
Number Of Units In Package 2	6
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm

Package 2 Length	40.0 cm
Package 2 Weight	11.9 kg

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >





Transparency RoHS/REACh

### Well-being performance



Mercury Free



Rohs Exemption Information

Yes

#### **Certifications & Standards**

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope)
China Rohs Regulation	China RoHS declaration  Product out of China RoHS scope. Substance declaration for your information
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information